

State code 5: Development in a state-controlled tunnel environment

Purpose statement

The purpose of this code is to protect **state-controlled transport tunnels** from adverse impacts of development. The purpose of this code is also to protect the safety of people using and living and working near **state-controlled transport tunnels**.

Specifically, this code seeks to ensure:

1. development does not create a safety hazard for users of a **state-controlled transport tunnel**, by increasing the likelihood or frequency of fatality or serious injury;
2. development does not compromise the structural integrity of **state-controlled transport tunnels**;
3. development does not compromise the state's ability to construct **state-controlled transport tunnels** and **future state-controlled transport tunnels**, or significantly increase the cost to construct **state-controlled transport tunnels** and **future state-controlled transport tunnels**;
4. development does not compromise the state's ability to maintain and operate **state-controlled transport tunnels**, or significantly increase the cost to maintain and operate **state-controlled transport tunnels**;
5. the community is protected from significant adverse impacts resulting from environmental emissions generated by **state-controlled transport tunnels**.

Using this code

The assessment benchmarks for this code comprise:

- a purpose statement which identifies the overall intent of the code;
- performance outcomes which set benchmarks to achieve the purpose statement of the code;
- acceptable outcomes which identify one way to achieve the relevant performance outcome.

Development complies with the code where:

- it complies with the acceptable outcomes for the performance outcome; or
- it complies with all the performance outcomes, where not complying with the acceptable outcomes; or
- development does not meet relevant performance outcome(s) and SARA determines, on balance, that the development complies with the purpose statement.

This code also includes the glossary of terms for definitions relevant to this code and reference documents which provides direction on how to address this code.

Performance outcomes and acceptable outcomes

Table 5.1 Development in a state-controlled tunnel environment

Performance outcomes	Acceptable outcomes
Buildings and structures	
PO1 The location of buildings, structures , infrastructure, services and utilities does not cause damage to a state-controlled transport tunnel , or obstruct state-controlled transport tunnel infrastructure .	AO1.1 Buildings, structures , infrastructure, services and utilities are not located on land identified as a state-controlled transport tunnel . AND AO1.2 Buildings, structures , infrastructure, services and utilities can be maintained without requiring access to land identified as a state-controlled transport tunnel .
PO2 Buildings, structures , infrastructure, services and utilities do not interfere with, or result in damage to, infrastructure or services in a state-controlled transport tunnel .	No acceptable outcome is prescribed.

Performance outcomes	Acceptable outcomes
PO3 Buildings, structures , infrastructure, services and utilities do not add or remove loading that will cause damage to a state-controlled transport tunnel or state-controlled tunnel infrastructure .	No acceptable outcome is prescribed.
PO4 Buildings, structures , infrastructure, services and utilities do not cause ground movement or vibration impacts that would cause damage or nuisance to a state-controlled transport tunnel or state-controlled transport tunnel infrastructure .	No acceptable outcome is prescribed.
PO5 Buildings, structures , infrastructure, services and utilities do not cause ground water disturbance on land for a state-controlled transport tunnel .	No acceptable outcome is prescribed.
Filling, excavation and retaining structures	
PO6 Filling, excavation and retaining structures do not interfere with, or result in damage to, infrastructure or services in a state-controlled transport tunnel .	No acceptable outcome is prescribed.
PO7 Filling, excavation, building foundations and retaining structures do not undermine or cause subsidence of land for a state-controlled transport tunnel .	No acceptable outcome is prescribed.
PO8 Excavation, boring, piling or fill compaction during construction of a development does not result in ground movement or vibration impacts that would cause damage or nuisance to a state-controlled transport tunnel .	No acceptable outcome is prescribed.
PO9 Development does not involve blasting.	No acceptable outcome is prescribed.
PO10 Filling and excavation, building foundations and retaining structures do not cause damage to a state-controlled transport tunnel by adding or removing loading .	No acceptable outcome is prescribed.
PO11 Filling and excavation, building foundations and retaining structures do not cause ground water disturbance to a state-controlled transport tunnel corridor .	No acceptable outcome is prescribed.
PO12 Fill material from a development site does not result in contamination of a state-controlled transport tunnel corridor .	AO12.1 Fill material is free of contaminants including acid sulfate content. AND AO12.2 Compaction of fill is carried out in accordance with the requirements of AS 1289.0 2000 – Methods of testing soils for engineering purposes.
PO13 Filling and excavation in the vicinity of a state-controlled transport tunnel portal does not cause wind-blown dust nuisance in a state-controlled transport tunnel .	AO13.1 Compaction of fill is carried out in accordance with the requirements of AS 1289.0 2000 – Methods of testing soils for engineering purposes. AND AO13.2 Dust suppression measures are used during filling and excavation activities such as wind breaks or barriers and dampening of ground surfaces.

Performance outcomes	Acceptable outcomes
PO14 Filling and excavation material does not cause damage, obstruction or nuisance in a state-controlled transport tunnel corridor .	AO14.1 Development does not store fill, spoil or any other material in a state-controlled transport tunnel corridor .
Stormwater and drainage	
PO15 Development does not result in an actionable nuisance or worsening of stormwater, flooding or drainage impacts in a state-controlled transport tunnel corridor or a state-controlled transport tunnel .	No acceptable outcome is prescribed.
PO16 Run-off from the development site during construction of development does not cause siltation of stormwater infrastructure affecting a state-controlled transport tunnel .	AO16.1 Run-off from the development site during construction is not discharged to stormwater infrastructure for a state-controlled transport tunnel .
PO17 Development does not cause damage to tunnel drainage structures .	No acceptable outcome is prescribed.
Access	
PO18 Vehicular access to a development is not from a state-controlled transport tunnel .	No acceptable outcome is prescribed.
PO19 Development does not obstruct or impede existing access to a state-controlled transport tunnel .	AO19.1 Development is designed and sited to ensure existing authorised access points and access routes for maintenance and emergency works to a state-controlled transport tunnel are clear from obstructions at all times.
Network safety	
PO20 Development involving dangerous goods adjacent to a state-controlled transport tunnel corridor does not adversely impact on the safety or operations of a state-controlled transport tunnel .	AO20.1 Development does not involve handling or storage of hazardous chemicals above the threshold quantities listed in table 5.2 of Model Planning Scheme Development Code for Hazardous Industries and Chemicals, Office of Industrial Relations, Department of Justice and Attorney-General, 2016.
Air and light	
PO21 Development involving an accommodation activity located near a state-controlled transport tunnel portal minimises air quality impacts from a state-controlled transport tunnel in outdoor spaces for passive recreation .	AO21.1 Each dwelling has access to an outdoor space for passive recreation which is shielded from a state-controlled transport tunnel portal by a building, solid gap-free fence, or other solid gap-free structure .
PO22 Development involving a: 1. childcare centre ; or 2. educational establishment located near a state-controlled transport tunnel portal minimises air quality impacts from a state-controlled transport tunnel in outdoor education areas and outdoor play areas .	AO22.1 Each outdoor education area and outdoor play area is shielded from a state-controlled transport tunnel portal by a building, solid gap-free fence, or other solid gap-free structure .
PO23 Development involving an accommodation activity or hospital located near a state-controlled transport tunnel portal minimises lighting impacts from a state-controlled transport tunnel .	AO23.1 Buildings for an accommodation activity or hospital are designed to minimise the number of windows or transparent/translucent panels facing a state-controlled transport tunnel portal . OR AO23.2 Windows facing a state-controlled transport tunnel include treatments to block light from state-controlled transport tunnel portal .

Table 5.2 Development impacting on a future state-controlled tunnel environment

Performance outcomes	Acceptable outcomes
PO24 Development does not impede the delivery of a future state-controlled transport tunnel .	<p>AO24.1 Development is not located on land identified as a future state-controlled transport tunnel.</p> <p>OR</p> <p>AO24.2 Development is sited and designed so that permanent buildings, structures, infrastructure, services or utilities are not located on land identified as a future state-controlled transport tunnel.</p> <p>OR all of the following acceptable outcomes apply:</p> <p>AO24.3 Structures and infrastructure located on land identified as a future state-controlled transport tunnel are able to be readily relocated or removed without materially affecting the viability or functionality of the development.</p> <p>AND</p> <p>AO24.4 Development does not involve filling and excavation of, or material changes to, land identified as a future state-controlled transport tunnel.</p> <p>AND</p> <p>AO24.5 Land is able to be reinstated to the pre-development condition at the completion of the use.</p>
PO25 Filling and excavation, building foundations and retaining structures do not obstruct, undermine, or cause subsidence of land for a future state-controlled transport tunnel .	No acceptable outcome is prescribed.
PO26 Filling and excavation, building foundations and retaining structures do not cause damage to land for a future state-controlled transport tunnel by adding or removing loading .	No acceptable outcome is prescribed.
PO27 Fill material from a development site does not result in contamination of land for a future state-controlled transport tunnel .	<p>AO27.1 Fill material is free of contaminants including acid sulfate content.</p> <p>AND</p> <p>AO27.2 Compaction of fill is carried out in accordance with the requirements of AS1289.0 2000 – Methods of testing soils for engineering purposes.</p>
PO28 Development does not result in an actionable nuisance or worsening of stormwater, flooding or drainage impacts on land for a future state-controlled transport tunnel .	No acceptable outcome is prescribed.

Reference documents

Department of Justice and Attorney-General (Office of Industrial Relations) 2016, Model Planning Scheme Development Code for Hazardous Industries and Chemicals

Department of Transport and Main Roads 2015, Guide to Development in a Transport Environment: Rail

Department of Transport and Main Roads 2017, SDAP Supporting Information: Filling, excavation and retaining structures in a state-controlled road environment

Department of Transport and Main Roads 2017, SDAP Supporting Information: Stormwater and drainage in a state-controlled road environment

Department of Transport and Main Roads 2016, Road Planning and Design Manual 2nd edition: Volume 3

Department of Transport and Main Roads 2016, Transport Noise Management Code of Practice Volume 2: Construction noise and vibration

Department of Transport and Main Roads 2018, Design criteria for bridges and other structures manual

Queensland Rail, Civil Engineering Technical Requirements and standard drawings:

Civil-SR-002 – Work in or about Queensland Rail property

Civil-SR-003 – Requirements for work on or near high voltage overhead line equipment and low voltage services

Civil-SR-005 – Design of buildings over or near railways

Civil-SR-012 – Collision protection of supporting elements adjacent to railways

Civil-SR-014 – Design of noise barriers adjacent to railways

Civil-SR-016 – Requirements for services under the railway corridor (non-QR services)

Institute of Public Works Engineering Australasia (Queensland Division), Queensland Urban Drainage Manual, Fourth edition, 2016

Standards Australia 2000, AS1289.0-2000 – Methods of testing soils for engineering purposes

Standards Australia 2010, AS2436-2010 – Guide to noise and vibration control on construction, demolition and maintenance sites

Standards Australia 2005, AS4133.0-2005 – Methods of testing rocks for engineering purposes

Glossary of Terms

Accommodation activity means any of the following:

1. caretaker's accommodation

State Development Assessment Provisions v3.4

State code 5: Development in a state-controlled transport tunnel environment

2. community residence
3. dual occupancy
4. dwelling house
5. dwelling unit
6. multiple dwelling
7. relocatable home park
8. residential care facility
9. resort complex
10. retirement facility
11. rooming accommodation
12. short-term accommodation
13. tourist park
14. a development with a combination of uses 1 to 13.

Actionable nuisance means where stormwater or surface water drainage to a downstream property causes a loss of enjoyment of property or physical damage to property (termed 'nuisance') such that the nuisance is actionable in law.

Note: See the Queensland Urban Drainage Manual, Institute of Public Works Engineering Australasia (Queensland Division), Fourth edition, 2016, for further information.

ADG code see schedule 1 of the *Work Health and Safety Act 2011*.

Note: **ADG code** means the Australian Code for the Transport of Dangerous goods by Road and Rail approved by the Australian Transport Council, as updated from time to time.

Childcare centre see schedule 24 of the Planning Regulation 2017.

Note: **Childcare centre** means the premises used for minding or care, but not residence, of children.

DA mapping system means the mapping system containing the Geographic Information System mapping layers kept, prepared or sourced by the state that relate to development assessment and matters of interest to the state in assessing development applications.

Note: The **DA mapping system** is available on the department's website.

Dangerous goods see schedule 1 of the *Work Health and Safety Act 2011*.

Note: **Dangerous goods** means:

1. asbestos; or
2. anything defined under the **ADG code** as:
 - a. **dangerous goods**; or
 - b. goods too dangerous to be transported.

Educational establishment see schedule 24 of the Planning Regulation 2017.

Note: **Educational establishment** means premises used for training and instruction designed to impart knowledge and develop skills.

Educational establishment includes the following uses and activities if they are ancillary:

1. on-site student accommodation
2. on-site before and after school care
3. on site vacation care.

Future state-controlled transport tunnel see schedule 24 of the Planning Regulation 2017.

Note: **Future state-controlled transport tunnel** means a tunnel that forms part of a **future state transport corridor**.

Future state transport corridor see schedule 24 of the Planning Regulation 2017.

Note: **Future State transport corridor** means:

1. a future state-controlled road; or
2. a future railway corridor; or
3. a future busway corridor; or
4. a future light rail corridor.

See the **DA mapping system**.

Hospital see schedule 24 of the Planning Regulation 2017.

Note: **Hospital** means the use of premises for:

1. the medical or surgical care or treatment of patients, whether or not the care or treatment requires overnight accommodation
2. providing accommodation for patients.

Loading means pressure or force exerted on land or infrastructure.

Outdoor education area means outdoor areas intended for use for the training or teaching of persons. This term does not include playgrounds or outdoor sport and recreational areas.

Outdoor play area see the Queensland Development Code.

Note: **Outdoor play area** means an unenclosed area located outside the external walls of the building. This term only includes playgrounds/play areas in a **childcare centre** or **educational establishment**.

Outdoor spaces for passive recreation means private open space, communal open space or public open space.

Retaining structures means retention **structures** and systems such as walls, batters, anchors, bolts, soil nails, shoring, piles, piers, beams and similar **structures**.

Structure means any built **structure** as well as **retaining structures**.

State-controlled transport tunnel see schedule 24 of the Planning Regulation 2017

Note: **State-controlled transport tunnel** means a tunnel that forms part of a state transport corridor.
See the **DA mapping system**.

State-controlled transport tunnel portal means the entrance to a tunnel.